

1.1 Integra Entrance Matting

Vantt Series aluminium entrance matting

Integra Vantt is architecturally designed to enhance the aesthetics and safety of entrance areas, as part of the protective entrance systems program from Integra Matting.


Now taking new heights and offering an expanded range with three insert options, to cater for all buyers and specifiers with choices for the budget conscious buyer, right through to the contemporary specifier without compromising the renowned Integra quality.

Integra Vantt architectural entrance matting features an alternating pattern of aluminium scraper bars incorporating your choice of matting, good, better or best, resulting in a barrier that will arrest the ingress of dirt and moisture, making your entrance area cleaner and safer.

Specification Guide

Install Integra Vantt (insert code) entrance matting featuring interlocking (insert aluminium colour) anodised aluminium scraper bars with (insert inserts colour) matting inserts and flexible roll-up function. If required, install Integra INFR10 aluminium mat frame to suit recess, in accordance with manufacturer's recommendations. Available from: Classic Architectural Group, 1300 244 377, info@classic-arch.com

1.1 Integra



Vantt 2500 Roll-up Aluminium Matting

Aluminium matting with Zoit insert

Description

Integra Vantt 2500 is the first of three options available in the Vantt series. The Vantt 2500 offers the unique features of the innovative flexible interlocking system, however it incorporates the Zoit micro-ribbed 'carpet type' matting for the budget conscious buyer.

Application

Recess into mat wells, surface mount with ramp frame, wall-to-wall in airlocks and lobbies. Able to be cut into any shape or form providing the solution for architecturally shaped entrances and revolving doorways. Rated to suit medium traffic areas.

Suitable for: Small office buildings, small shopping centres, schools and factories.

Benefits

- Reduces cleaning time of surrounding floor finishes
- Minimises costly slip-and-fall accidents
- Stops dirt at the door for a cleaner environment
- Enhances entrance appearance and acoustics

Specifications

Frames (see p53-54)
Suits the INFR10 framing system


Matting Colours (see colour guide on p9-10)
Onyx, Charcoal, Ocean, Cherry

Aluminium Colours
Standard: Natural Anodised

- Suitable for medium traffic applications
- Easy to clean. Highly effective scrape and wipe cleaning action
- Wheelchair friendly
- Rubber cushioned back for quietness underfoot
- Rolls up easily for cleaning
- Easily shaped for curved entrances or revolving doors
- Easy interlocking system

7 year
limited warranty

Installation Services
available





Vantt 5500

Roll-up Aluminium Matting

Aluminium matting with Zone insert

Description

Integra Vantt 5500 is the original and market-proven Vantt series entrance mat. Since its release, the 5500 range has never failed to satisfy. The Vantt 5500 innovative flexible interlocking system features an alternating pattern of aluminium scraper bars incorporating the Zone non-static polyamide pile matting for optimum cleaning results. For an entrance where you may have one external to internal entrance mat, install Vantt 5500 with the polymer scraper insert externally for slip resistance and removal of larger particles, and continue the mat through internally with the high quality polyamide matting insert for superior fine particle and moisture removal.

Application

Recess into mat wells, surface mount with ramp frame, wall-to-wall in airlocks and lobbies. Able to be cut into any shape or form providing the solution for architecturally shaped entrances and revolving doorways.

Suitable for: Commercial office buildings, shopping centres, hotels, motels, airports, schools and universities, hospital and aged care homes, all public domains - libraries, etc.

Benefits

- Reduces cleaning time of surrounding floor finishes
- Minimises costly slip-and-fall accidents
- Stops dirt at the door for a cleaner environment
- Enhances entrance appearance and acoustics

Specifications

Frames (see p53-54)
Suits the INFR10 framing system

Matting Colours (see colour guide on p9-10)
Midnight, Storm, Smoke, Solar, Asteroid, Twilight, Azure, Aurora, Dust, Element, Blaze, Ribbed Polymer, Grit



Aluminium Colours
Standard: Natural Anodised
Also available: Black, Gold, Bronze



- Suitable for high traffic applications
- Easy to clean. Highly effective scrape and wipe cleaning action
- Wheelchair friendly
- Rubber cushioned back for quietness underfoot
- Rolls up easily for cleaning
- High fire resistant rating
- Easily shaped for curved entrances or revolving doors
- Easy interlocking system
- Made from recyclable materials

12 year
warranty

Installation Services
available



Vantt 7500

Roll-up Aluminium Matting

Aluminium matting with dual width Zone insert

Description

Integra Vantt 7500 is a new release in the Vantt series, for those that want that next level up in quality and style. The bold entrance statement made by the Vantt 7500 makes it the entrance mat of choice for the contemporary specifier. The Vantt 7500 innovative flexible interlocking system features an alternating pattern of aluminium scraper bars, with a twin colour dual width strip of the Zone non-static polyamide pile matting. For optimum results, install Vantt 7500 with the polymer scraper insert externally for slip resistance and removal of larger particles, and continue the mat through internally with the high quality dual width polyamide matting insert of the Integra Vantt 7500 for that added 'touch of class'.

Application

Recess into mat wells, surface mount with ramp frame, wall-to-wall in airlocks and lobbies. Able to be cut into any shape or form providing the solution for architecturally shaped entrances and revolving doorways.

Suitable for: Commercial office buildings, shopping centres, hotels, motels, airports, schools and universities, hospitals and aged care homes, all public domains - libraries, etc.

Benefits

- Colour range co-ordinates with the Integra Zone range of matting and enables a cohesive colour flow
- Reduces cleaning time of surrounding floor finishes
- Minimises costly slip-and-fall accidents
- Stops dirt at the door for a cleaner environment
- Enhances entrance appearance and acoustics

Specifications

Frames (see p53-54)
Suits the INFR10 framing system

Matting Colours (see colour guide on p9-10)
Midnight Storm, Midnight Polymer, Storm Grit, Smoke Solar, Twilight Azure, Aurora Dust

Aluminium Colours
Standard: Natural Anodised
Also available: Black, Gold, Bronze



- Suitable for high traffic applications
- Easy to clean. Highly effective scrape and wipe cleaning action
- Wheelchair friendly
- Rubber cushioned back for quietness underfoot
- Rolls up easily for cleaning
- High fire resistant rating
- Easily shaped for curved entrances or revolving doors
- Easy interlocking system
- Made from recyclable materials

12 year
warranty

Installation Services
available



Integra

Vantt Colour Guide

Colour Guide

This guide shows the available matting insert colours mentioned in the specifications for each product. Please note that these swatches are to remain as a guide only and actual colours may vary.

2500 Series



Onyx



Charcoal



Ocean



Cherry

5500 Series



Midnight



Storm



Smoke



Solar



Twilight



Azure



Aurora



Dust




Element



Blaze



Ribbed Polymer




Grit

7500 Series



Midnight Storm



Midnight Polymer



Storm Grit



Smoke Solar



Twilight Azure



Aurora Dust