



classic
architectural group

product catalogue

edition 7

architectural solutions


**Entrance
Matting**





We do more than you think...

Where practicality meets striking design, Classic's range of public access and safety solutions is a building professional's dream.



Entrance Matting

Maintaining your building's presentation, longevity and a healthy environment, Classic's Integra Entrance Matting range creates cleaner, safer entrance areas. With customised options for both interior and exterior applications, our entrance mats keep up with your foot and wheeled traffic, effectively retaining dirt and moisture. Asset protection that aesthetically pleases, minimising your floor maintenance costs and reducing slip hazards.

Stopping the dirt, stopping the show, **it's our winning entry.**



Stair Nosings

The professional finish to any access stair and ramp area, Classic's Tredfx Stair Nosings elevate smart looks and safety. With a wide range of anti-slip solutions for various substrates and environments, our stair nosings and tapes are rated for commercial grade use. Architecturally designed for your project, providing enhanced safety and accessibility for all.

Stepping up to every challenge, **we'll give you the extra grip.**



Tactile Indicators

A must for all public access areas, Classic's Tredfx Tactile Indicators give directional guidance and alert of impending hazards. Empowering our visually-impaired community in shared spaces, we offer a diverse variety of styles and colours to meet your tactile floor safety requirements. From stainless steel and brass, to polyurethane and ceramic, our cutting-edge Tredfx Tactile range meets all NCC and relevant Australian Standards.


Navigating you with certainty, **you'll never lose your bearings with us.**



Floor Trims & Covers

Classic's Tredfx Floor Trims, Expansion Joints and Covers are purposefully designed and engineered for commercial flooring applications. Overcoming small floor height discrepancies and covering joins between differing floor surfaces, our floor trims maximise safety while preserving aesthetics. Our heavy-duty expansion joint covers are built for protection and longevity, withstanding high-traffic areas.

Where two become one, **a seamless integration for all.**



Car Park Safety

Classic's Car Park Safety range includes Wheel Stops, Bollards, Speed Humps, Corner Guards, Signage, Convex Mirrors and much more. Keeping pace with modern building design and techniques, we'll collaborate with you to enhance the protection of your car parking space and its users. From traffic flow to visual safety, we've got you sorted.

Driven to succeed, **we'll see you at the finish line.**



Bike Racks & Skate Deterrents

Classic's Bike Racks provide cyclists with safe bicycle storage while encouraging communities to embrace more sustainable living. Classic's Skatestop Skate Deterrents protect your landscape's presentation and longevity, offering safety, durability and aesthetics. Our skate deterrents work hard to save you time and money on damage costs caused by skateboarders, in-line skates and bikes. It's smart, simple prevention.

We'll get rolling on your projects **quick smart.**



Everyone deserves easy access...

That's why we specialise in the end-to-end solution.

Consultation • Design • Manufacture • Supply • Installation



1 Entrance Matting

Architecturally designed to ensure a sleek, modern aesthetic and hard wearing durability. Customised solutions for interior and exterior applications.

2 Stair Nosings

Safety's a given with a solution for all application types, including both interior and exterior options. Trend led designs include solid brass.

3 Tactile Indicators

Warning and directional tactile indicators to assist the visually impaired. Diverse range of product options and colours to satisfy safety requirements and enhance the aesthetic.

4 Floor Trims & Covers

Purposefully designed and engineered for commercial flooring applications. Customised solutions to maximise safety while maintaining visual appeal.

5 Car Park Safety

Solutions to enhance the protection of your car parking space and its users, including:

a: Bollards **b:** Speed Humps **c:** Wheel Stops
d: Height Bars **e:** Corner Guards **f:** Convex Mirrors

6 Bike Racks & Skate Deterrents

Designed to protect your landscape's presentation, our range is designed for safety, durability and aesthetics.


a: Bike Racks **b:** Skate Deterrents

ENTRANCE MATTING

WHY CHOOSE CLASSIC?

- Consultative approach
- Customised solutions
- End-to-end fulfilment
- Unrivalled knowledge of standards
- Lifetime warranty
- Over 40 years' experience
- People and operations across Australia

Integra Verse



- Fully reversible aluminium matting
- Architecturally designed
- Durable and hard wearing
- Long lifetime design
- Optimum dirt and moisture retention
- Resistant to fungal and bacterial growth
- High traffic applications
- Interior and exterior use
- Suitable for wheelchairs and heavy trolleys

Integra Vantt



- Roll up aluminium matting
- Architecturally designed
- Suitable for curved applications
- Rubber cushioned back for reduced noise
- Flexible interlocking system
- Our most customisable product
- Wide colour range
- Medium to high traffic applications
- Interior use
- Wheelchair friendly

Integra Link



- Modular tiles with easy interlocking system
- Durable and hard wearing
- Highly effective and easy to clean
- Medium to high traffic applications
- Interior and exterior use
- Wheelchair friendly
- Easy to transport and install

Integra Zone



- Carpet style matting
- Special texturing and a thick, non-static cut-pile design
- Resistant to fungal and bacterial growth
- High fire resistant rating
- High water absorption
- Wide colour range
- High traffic applications
- Interior use
- Wheelchair friendly

Integra Zeal



- Carpet style matting
- Easy to clean and crush resistant
- Medium to high traffic applications
- Interior use
- Wheelchair friendly

Integra Premier



- Carpet style matting
- Ribbed chevron pattern design
- Releases trapped particles when vacuumed
- Medium to high traffic applications
- Interior use
- Wheelchair friendly

Integra Tough



- Unique pebble pattern for highly effective scraping
- Dense polypropylene pile provides excellent water and dirt retention
- Medium to high traffic applications
- Interior use
- Wheelchair friendly

Integra Matting Tiles



- Carpet style matting
- Modular system
- Ribbed and plush options
- Dense polypropylene pile forms effective moisture absorbing barrier
- Medium to high traffic applications
- Interior use
- Easy to transport and install

Integra Coir




- Natural coconut fibre matting
- Environmentally friendly
- Moisture absorbent
- Low traffic applications
- Interior use

Integra Zoit




- Carpet style matting
- Narrow, non-woven needlepunch carpet
- Ribbed design
- Resistant to fungal and bacterial growth
- High water absorption
- Low traffic applications
- Interior use

Integra Shield



- Scraper entrance matting
- Durable and hard wearing
- Rolls up
- Resilient vinyl coiled construction, traps dirt
- UV resistant and withstands extreme temperatures
- High traffic applications
- Interior and exterior use, including snow and wet areas
- Wheelchair friendly

Integra Frames



- Entrance mat framing systems to suit all Classic Integra products
- Enhances entrance appearance
- Reduces custom fabrication cost and lead times
- Available in full lengths or cut to size
- Easy to transport and install

Classic Integra Verse

Reversible Aluminium Matting

- Fully reversible aluminium matting
- Architecturally designed
- Durable and hard wearing
- Long lifetime design
- Optimum dirt and moisture retention
- Resistant to fungal and bacterial growth
- High traffic applications
- Interior and exterior use
- Suitable for wheelchairs and heavy trolleys



Classic Integra Verse R100

Reversible Aluminium Matting

Description

Classic Integra Verse is one of the most robust entrance mats in the market. It is engineered to withstand the toughest and most demanding of environments. With unique features like double sided reversibility, Verse is a matting system that offers longevity like no other.

Application

Recess into mat wells, surface mount with ramp frame, wall-to-wall in airlocks and lobbies. High traffic areas. Interior and exterior use.

Suitable for: Commercial office buildings, shopping centres, hotels, motels, airports, schools and universities, hospitals and aged care homes, all public domains - libraries, etc.

Benefits

- Able to withstand ultra-high traffic
- Fully reversible, double sided construction allows longevity
- Regular turning keeps matting fresh
- Versatile design to allow best results

Specifications



Frames (see p44-45)

Suits the INFR11 framing system for 12mm and the INFR17 for 17mm

Matting Colours



Aluminium Colours



**LIFETIME
WARRANTY**

**INSTALLATION
SERVICES
AVAILABLE**

**NCC
COMPLIANT**

**AS1428
COMPLIANT**

- | | |
|--|---|
| Suitable for high traffic applications | Interior and exterior options available |
| Easy to clean. Highly effective scrape and wipe cleaning action | P5 Slip resistance rating |
| Resistant to fungal and bacterial growth | Fire test report available |
| Suitable for wheelchairs, heavy trolleys and other wheeled traffic | |
| Optimum dirt and moisture retention | |
| Healthier, cleaner environments | |



Classic Integra Verse R200

Reversible Aluminium Matting

Description

Classic Integra Verse is a stand-out in its field. It is engineered to withstand the toughest and most demanding of environments. With unique features like double sided reversibility, Verse is a matting system that offers longevity like no other. The R200 offers a greater wiper surface area which is therefore more suitable for applications where a larger amount of moisture absorption is required.

Application

Recess into mat wells, surface mount with ramp frame, wall-to-wall in airlocks and lobbies. High traffic areas. Interior and exterior use.

Suitable for: Commercial office buildings, shopping centres, hotels, motels, airports, schools and universities, hospitals and aged care homes, all public domains - libraries, etc.


Benefits

- Able to withstand ultra-high traffic
- Modular system to maximise wear
- Double wiper strips for optimum dirt and moisture retention
- Fully reversible, double sided construction allows longevity
- Regular turning keeps matting fresh
- Versatile design to generate best results

Specifications

Frames (see p44-45)

Suits the INFR11 framing system for 12mm and INFR17 for 17mm



Matting Colours



Aluminium Colours



Classic Integra Verse R300

Reversible Aluminium Matting

Description

Classic Integra Verse is for someone who wants to stand out from the crowd. It is engineered to withstand the toughest and most demanding of environments. With unique features like double sided reversibility, Verse is a matting system that offers longevity like no other. The R300 presents the best of both worlds; more aluminium than R200 and more wiping area than the R100.

Application

Recess into mat wells, surface mount with ramp frame, wall-to-wall in airlocks and lobbies. High traffic areas. Interior and exterior use.

Suitable for: Commercial office buildings, shopping centres, hotels, motels, airports, schools and universities, hospitals and aged care homes, all public domains - libraries, etc.


Benefits

- Able to withstand ultra-high traffic
- Modular system to maximise wear
- Double wiper strips for optimum dirt and moisture retention
- Fully reversible, double sided construction allows longevity
- Regular turning keeps matting fresh
- Versatile design to generate best results

Specifications

Frames (see p44-45)

Suits the INFR11 framing system for 12mm and INFR17 for 17mm



LIFETIME
WARRANTY

INSTALLATION
SERVICES
AVAILABLE

NCC
COMPLIANT

AS1428
COMPLIANT

- 

Suitable for high traffic applications
- 

Interior and exterior options available
- 

Easy to clean. Highly effective scrape and wipe cleaning action
- 

P5 Slip resistance rating
- 

Resistant to fungal and bacterial growth
- 

Fire test report available
- 

Suitable for wheelchairs, heavy trolleys and other wheeled traffic
- 

Optimum dirt and moisture retention
- 

Healthier, cleaner environments

LIFETIME
WARRANTY

INSTALLATION
SERVICES
AVAILABLE

NCC
COMPLIANT

AS1428
COMPLIANT

- 

Suitable for high traffic applications
- 

Interior and exterior options available
- 

Easy to clean. Highly effective scrape and wipe cleaning action
- 

P5 Slip resistance rating
- 

Resistant to fungal and bacterial growth
- 

Fire test report available
- 

Suitable for wheelchairs, heavy trolleys and other wheeled traffic
- 

Optimum dirt and moisture retention
- 

Healthier, cleaner environments

Classic Integra Vantt

Roll-up Aluminium Matting

- Roll up aluminium matting
- Architecturally designed
- Suitable for curved applications
- Rubber cushioned back for reduced noise
- Flexible interlocking system
- Most customisable product
- Wide colour range
- Medium to high traffic applications
- Interior use
- Wheelchair friendly



Classic Integra Vantt 2500

Roll-up Aluminium Matting

Description

Classic Integra Vantt 2500 is the first of four options available in the Vantt range. The Vantt 2500 offers the unique features of the innovative flexible interlocking system, however it incorporates the Zoit micro-ribbed 'carpet type' matting for the budget conscious buyer.

Application

Recess into mat wells, surface mount with ramp frame, wall-to-wall in airlocks and lobbies. Able to be cut into any shape or form providing the solution for architecturally shaped entrances and revolving doorways. Rated to suit medium traffic areas.

Suitable for: Small office buildings, small shopping centres, schools and factories.

Benefits


- Reduces cleaning time of surrounding floor finishes
- Minimises costly slip-and-fall accidents
- Stops dirt at the door for a cleaner environment
- Enhances entrance appearance and acoustics

Specifications

Frames (see p44-45)

Suits the INFR11 framing system

Matting Colours




Onyx Charcoal

Aluminium Colours



Natural




10YR
WARRANTY

INSTALLATION
SERVICES
AVAILABLE

AS1428
COMPLIANT

- Suitable for medium traffic applications
- Easy to clean. Highly effective scrape and wipe cleaning action
- Wheelchair friendly
- Rubber cushioned back for quietness underfoot
- Rolls up easily for cleaning
- Easily shaped for curved entrances or revolving doors
- Easy interlocking system



Classic Integra Vantt 5500

Roll-up Aluminium Matting

Description

Classic Integra Vantt 5500 is the original and market-proven Vantt entrance mat. The Vantt 5500 innovative flexible interlocking system features an alternating pattern of aluminium scraper bars incorporating the Zone non-static polyamide pile matting for optimum cleaning results. Install Vantt 5500 with the polymer scraper insert externally for slip resistance and removal of larger particles, and continue the mat through internally with the high quality polyamide matting insert for superior fine particle and moisture removal.

Application

Recess into mat wells, surface mount with ramp frame, wall-to-wall in airlocks and lobbies. Able to be cut into any shape or form providing the solution for architecturally shaped entrances and revolving doorways.

Suitable for: Commercial office buildings, shopping centres, hotels, motels, airports, schools and universities, hospital and aged care homes, all public domains - libraries, etc.


Benefits

- Colour range co-ordinates with the Integra Zone range of matting and enables a cohesive colour flow
- Reduces cleaning time of surrounding floor finishes
- Minimises costly slip-and-fall accidents
- Stops dirt at the door for a cleaner environment
- Enhances entrance appearance and acoustics


Specifications

Frames (see p44-45)

Suits the INFR11 framing system



Matting Colours



Aluminium Colours




**LIFETIME
WARRANTY**

**INSTALLATION
SERVICES
AVAILABLE**

**NCC
COMPLIANT**

**AS1428
COMPLIANT**

- | | |
|---|--------------------------------|
| Suitable for high traffic applications | Easy interlocking system |
| Easy to clean. Highly effective scrape and wipe cleaning action | Made from recyclable materials |
| Wheelchair friendly | P5 Slip resistance rating |
| Rubber cushioned back for quietness underfoot | Fire test report available |
| Rolls up easily for cleaning | |
| Easily shaped for curved entrances or revolving doors | |



Classic Integra Vantt 7500

Roll-up Aluminium Matting

Description

Classic Integra Vantt 7500 is for those that want that next level up in quality and style. The bold entrance statement made by the Vantt 7500 makes it the entrance mat of choice for the contemporary specifier. The Vantt 7500 innovative flexible interlocking system features an alternating pattern of aluminium scraper bars, with a twin colour dual width strip of the Zone non-static polyamide pile matting. For optimum results, install Vantt 7500 with the polymer scraper insert externally for slip resistance and removal of larger particles, and continue the mat through internally with the high quality dual width polyamide matting insert of the Vantt 7500 for that added 'touch of class'.

Application

Recess into mat wells, surface mount with ramp frame, wall-to-wall in airlocks and lobbies. Able to be cut into any shape or form providing the solution for architecturally shaped entrances and revolving doorways.

Suitable for: Commercial office buildings, shopping centres, hotels, motels, airports, schools and universities, hospitals and aged care homes, all public domains - libraries, etc.


Benefits

- Colour range co-ordinates with the Integra Zone range of matting and enables a cohesive colour flow
- Reduces cleaning time of surrounding floor finishes
- Minimises costly slip-and-fall accidents
- Stops dirt at the door for a cleaner environment
- Enhances entrance appearance and acoustics

Specifications

Frames (see p44-45)


Suits the INFR11 framing system



Matting Colours



Aluminium Colours



**LIFETIME
WARRANTY**

**INSTALLATION
SERVICES
AVAILABLE**

**NCC
COMPLIANT**

**AS1428
COMPLIANT**

- | | |
|---|--------------------------------|
| Suitable for high traffic applications | Easy interlocking system |
| Easy to clean. Highly effective scrape and wipe cleaning action | Made from recyclable materials |
| Wheelchair friendly | P5 Slip resistance rating |
| Rubber cushioned back for quietness underfoot | Fire test report available |
| Rolls up easily for cleaning | |
| Easily shaped for curved entrances or revolving doors | |



Classic Integra

Vantt 9500

Roll-up Aluminium Matting

Description

Classic Integra Vantt 9500 is a new release in the Vantt range. The Vantt 9500 innovative flexible interlocking system features an alternating pattern of aluminium scraper bars, like the Vantt 5500. With a twin colour dual width strip of the Zone non-static polyamide pile matting, however the Vantt 9500 features a wider slat giving it a more 'carpet like' appearance. For optimum results, install Vantt 9500 with the polymer scraper insert externally for slip resistance and removal of larger particles, and continue the mat through internally with the high quality dual width polyamide matting insert of the Vantt 9500 for that added 'touch of class'.

Application

Recess into mat wells, surface mount with ramp frame, wall-to-wall in airlocks and lobbies. Able to be cut into any shape or form providing the solution for architecturally shaped entrances and revolving doorways.

Suitable for: Commercial office buildings, shopping centres, hotels, motels, airports, schools and universities, hospitals and aged care homes, all public domains - libraries, etc.


Benefits

- Colour range co-ordinates with the Integra Zone range of matting and enables a cohesive colour flow
- Reduces cleaning time of surrounding floor finishes
- Minimises costly slip-and-fall accidents
- Stops dirt at the door for a cleaner environment
- Enhances entrance appearance and acoustics


Specifications

Frames (see p44-45)

Suits the INFR11 framing system



Matting Colours



Aluminium Colours



- | | |
|---|---|
|  Suitable for high traffic applications |  Easy interlocking system |
|  Easy to clean. Highly effective scrape and wipe cleaning action |  Made from recyclable materials |
|  Wheelchair friendly |  P5 Slip resistance rating |
|  Rubber cushioned back for quietness underfoot |  Fire test report available |
|  Rolls up easily for cleaning | |
|  Easily shaped for curved entrances or revolving doors | |



Classic Integra Link

Modular Interlocking Matting

- Modular tiles with easy interlocking system
- Durable and hard wearing
- Highly effective and easy to clean
- Medium to high traffic applications
- Interior and exterior use
- Wheelchair friendly
- Easy to transport and install



Classic Integra Link

Modular Interlocking Matting

Description
Classic Integra Link features an open, yet heel-proof and wheelchair friendly design, incorporating non-static polyamide pile inserts coordinating with the Integra Zone range (allowing the cohesive colour flow of various matting zones). Can be simply rolled up for cleaning and maintenance. Non-metallic construction compatible for electronic security tagging systems in retail entrances. Creates a warm feel to any entrance.


Application
Recess into mat wells, wall-to-wall in airlocks and lobbies.

Suitable for: Commercial office buildings, shopping centres, hotels, motels, airports, schools and universities, hospitals and aged care homes, all public domains - libraries, etc.

- Benefits**
- Achieve unlimited size, colour and design combinations including patterns and borders
 - Use the scrape tile on the exterior of your building then continue the style with the carpet insert version on the interior
 - Simple interlocking tile system allows easy on-site mat construction and shaping without the need for specialised equipment
 - Colour range coordinates with the Integra Zone range of matting and enables a cohesive colour flow
 - Heel-proof to D.D.A. standards for peace of mind regarding OH&S
 - Easy replacement of worn tiles
 - Compatible with electronic tagging systems

Specifications
Size
Modular interlocking tile 395mm x 135mm

Frames (see p44-45)
Suits the INFR17 framing system



LIFETIME WARRANTY

INSTALLATION SERVICES AVAILABLE

NCC COMPLIANT

AS1428 COMPLIANT

- Suitable for medium to high traffic applications
- Easy to clean. Highly effective scrape and wipe cleaning action
- Modular system
- Heel-proof design
- Easy interlocking system
- Made from recyclable materials
- Wheelchair friendly
- Rolls up easily for cleaning
- P5 Slip resistance rating
- Fire test report available

Classic Integra Zone

Dirt and Moisture Barrier Carpet Style Matting

- Carpet style matting
- Special texturing and a thick, non-static pile
- Resistant to fungal and bacterial growth
- High fire resistant rating
- High water absorption
- Wide colour range
- High traffic applications
- Interior use
- Wheelchair friendly



Classic Integra Zone

Dirt and Moisture Barrier Carpet Style Matting

Description
Classic Integra Zone architectural entrance matting has been proven in many highly demanding environments, as both a primary and as a secondary level of matting. The attractive, cut pile provides a luxurious look and feel, while the dual weave non-static polyamide fibre composition efficiently removes and absorbs water and grit. Integra Zone is incorporated into the Integra Vantt and Link matting ranges, allowing designer colour coordination and the cohesive flow of various matting zones.

Colours



Application
Can be installed as loose lay mats with bevelled edging, recessed into mat wells, or wall-to-wall in lobbies and atriums.

Suitable for: High traffic and high-end corporate entrances, hospitals, schools, universities, shopping centres, retail stores, stadiums, etc.

- Benefits**
- Enhances interior appearance and acoustics
 - Reduces floor maintenance and cleaning costs
 - Minimises costly slip-and-fall accidents
 - High water absorption
 - Vinyl backing and edging helps reduce creeping
 - Certified as meeting stringent international green ratings for environmentally friendly manufacture, recyclability and low VOC levels

Specifications
Nominal Sizes
2000mm wide roll (including edging), custom cut to length.

Frames (see p44-45)
Suits the INFR08 framing system



**LIFETIME
WARRANTY**

**INSTALLATION
SERVICES
AVAILABLE**

**NCC
COMPLIANT**

**AS1428
COMPLIANT**

- | | |
|--|--|
| Suitable for high traffic applications | LRV (Light Reflectance Value) - Refer to page 55 for details |
| Easy to clean | P5 Slip resistance rating |
| Resistant to fungal and bacterial growth | Fire test report available |
| Suitable for wheelchairs and other wheeled traffic | |
| Easy to transport and install | |

Classic Integra Zeal

Dual Filament Carpet Style Matting

- Carpet style matting
- Low profile loop-pile design
- Easy to clean and crush resistant
- Medium to high traffic applications
- Interior use
- Wheelchair friendly



Classic Integra Zeal 8850

Dual Filament Carpet Style Matting

Description

Classic Integra Zeal 8850 architectural entrance matting has been proven time and again. The lab tested design of this loop carpet style matting has been tested for extremely high traffic - more than 400,000 people per year. The hard weaing dual fibre provides a luxurious look, while effectively removing and hiding grime and grit.

Application

High traffic, and high-end corporate entrances. Can be installed as loose lay mats with bevelled edging, recessed into mat wells, or wall-to-wall in lobbies and atriums.

Suitable for: Hospitals, schools, universities, shopping centres, etc.

Benefits

- Traps dirt and particles at the base of the mat
- Easy removal of trapped dirt and particles when cleaning
- Enhances interior appearance and acoustics
- Reduces floor maintenance and cleaning costs
- Minimises costly slip-and-fall accidents
- Vinyl backing and edging helps reduce creeping

Specifications

Nominal Sizes

2000mm wide roll (including edging), custom cut to length

Frames (see p44-45)

Suits the INFR08 framing system



Colours



Ebony

**LIFETIME
WARRANTY**

**INSTALLATION
SERVICES
AVAILABLE**

**NCC
COMPLIANT**

**AS1428
COMPLIANT**



Suitable for high traffic applications



Easy to clean



Good dirt removal and hiding ability



Suitable for wheelchairs and other wheeled traffic



Low profile loop-pile design



Releases trapped particles when vacuumed



Easy to transport and install



LRV (Light Reflectance Value) - Refer to page 55 for details



P5 Slip resistance rating



Fire test report available

Classic Integra Premier

Ribbed Carpet Style Matting

- Carpet style matting
- Ribbed chevron pattern design
- Releases trapped particles when vacuumed
- Medium to high traffic applications
- Interior use
- Wheelchair friendly



Classic Integra Premier

Ribbed Carpet Style Matting

Description
Classic Integra Premier has been specifically developed with a unique reinforced chevron pattern which provides a highly effective scraping action. Its special construction and the density of its polypropylene pile forms an effective moisture-absorbing barrier, competently arresting the spread of moisture, dirt and grit to maintain the life and safety of your floors.

Application
High traffic and high-end corporate entrances. Can be installed as loose lay mats with bevelled edging, recessed into mat wells, or wall-to-wall lobbies and atriums.

Suitable for: Hospitals, schools, shopping centres, etc.

- Benefits**
- Traps dirt and particles at the base of the mat
 - Easy removal of trapped dirt and particles when cleaning
 - Enhances interior appearance and acoustics
 - Reduces floor maintenance and cleaning costs
 - Minimises costly slip-and-fall accidents
 - Vinyl backing and edging helps reduce creeping

Specifications
Nominal Sizes
1800mm wide roll, custom cut to length

Frames (see p44-45)
Suits the INFR08 framing system

Colours



Carbon



LIFETIME WARRANTY

INSTALLATION SERVICES AVAILABLE

NCC COMPLIANT

AS1428 COMPLIANT

- | | |
|--|--|
| Suitable for medium to high traffic applications | Easy to transport and install |
| Easy to clean | LRV (Light Reflectance Value) - Refer to page 55 for details |
| Good dirt removal and hiding ability | Fire test report available |
| Suitable for wheelchairs and other wheeled traffic | |
| Low profile loop-pile design | |
| Releases trapped particles when vacuumed | |

Classic Integra Tough

Pebble Carpet Style Matting

- Unique pebble pattern for highly effective scraping
- Dense polypropylene pile provides excellent water and dirt retention
- Medium to high traffic applications
- Interior use
- Wheelchair friendly



Classic Integra Tough

Pebble Carpet Style Matting

Description

Classic Integra Tough has been specifically developed with a unique pebble pattern which provides a highly effective scraping action. Its special construction and the density of its polypropylene pile forms an effective moisture-absorbing barrier, competently arresting the spread of moisture, dirt and grit to maintain the life and safety of your floors.

Application

High traffic, and high-end corporate entrances. Can be installed recessed into mat wells, or wall-to-wall lobbies and atriums.

Suitable for: Schools, shopping centres, retail, community etc.

Benefits

- Easy removal of trapped dirt and particles when cleaning
- Excellent water and dirt retention
- Enhances interior appearance and acoustics
- Reduces floor maintenance and cleaning costs
- Minimises costly slip-and-fall accidents
- Latex backing for additional comfort

Specifications

Nominal Sizes

2000mm wide roll, custom cut to length

Frames (see p44-45)

Suits the INFR08 framing system



Colours



Charcoal

**LIFETIME
WARRANTY**

**INSTALLATION
SERVICES
AVAILABLE**

**NCC
COMPLIANT**

**AS1428
COMPLIANT**



Suitable for medium to high traffic applications



Easy to clean



Good dirt removal and hiding ability



Suitable for wheelchairs and other wheeled traffic



Low profile loop-pile design



Releases trapped particles when vacuumed



Easy to transport and install



LRV (Light Reflectance Value) - Refer to page 55 for details



Fire test report available

Classic Integra Matting Tiles

Carpet Tile Matting

- Carpet style matting tiles
- Modular system
- Ribbed and plush options
- Dense polypropylene pile forms effective moisture absorbing barrier
- Medium to high traffic applications
- Interior use
- Easy to transport and install



Classic Integra Urban Matting Tiles

Plush Entrance Carpet Tile Matting

Description

Classic Integra Urban Matting Tiles have been proven in many highly demanding environments, as both primary and as a secondary level of matting. The attractive, cut pile provides a luxurious look and feel, while the dual weave non-static polyamide fibre composition efficiently arrests the spread of moisture, dirt and grit to maintain the life and safety on your floors.

Application

Recess into mat wells, wall-to-wall in airlocks and lobbies.

Suitable for: Commercial office buildings, shopping centres, hotels, motels, airports, schools and universities, hospitals and aged care homes, all public domains - libraries, etc.

Benefits

- Achieve unlimited size combinations of colour and design including patterns and borders
- Simple tile system allows easy on-site mat construction, and shaping without the need for specialised equipment
- Easy removal of trapped dirt and particles when cleaning
- Enhances interior appearance and acoustics
- Reduces floor maintenance and cleaning costs
- Heel-proof to D.D.A. standards for peace of mind regarding OH&S
- Easy replacement of damaged tiles
- Compatible with electronic tagging systems

Specifications

Nominal Sizes

Modular tile 500mm x 500mm

Frames (see p44-45)

Suits the INFR08 framing system



**LIFETIME
WARRANTY**

**INSTALLATION
SERVICES
AVAILABLE**

**NCC
COMPLIANT**

**AS1428
COMPLIANT**



Suitable for high traffic applications



Easy to transport and install



Easy to clean



Modular system



Good dirt removal and hiding ability



Heel-proof design



Suitable for wheelchairs and other wheeled traffic



LRV (Light Reflectance Value) - Refer to page 55 for details



Low profile tufted design



P5 Slip resistance rating



Releases trapped particles when vacuumed



Fire test report available



Colours



Carbon

Classic Integra Studio Matting Tiles

Ribbed Carpet Tile Matting

Description

Classic Integra Studio Matting Tile has been specifically developed with a unique ribbed pattern which provides a highly effective scraping action. A highly effective moisture absorbing barrier is created by the polypropylene pile. The thick pile helping to absorb moisture, and the special construction enhancing the mats ability to capture grit and dirt.

Application

Recess into mat wells, wall-to-wall in airlocks and lobbies.

Suitable for: Commercial office buildings, shopping centres, hotels, motels, airports, schools and universities, hospitals and aged care homes, all public domains - libraries, etc.

Benefits

- Achieve unlimited size combinations and design including patterns and borders
- Modular tile system allows easy on-site mat installation and shaping without the need for specialised equipment
- Easy removal of trapped dirt and particles when cleaning
- Enhances interior appearance and acoustics
- Reduces floor maintenance and cleaning costs
- Heel-proof to D.D.A. standards for peace of mind regarding OH&S
- Easy replacement of worn tiles
- Compatible with electronic tagging systems

Specifications

Nominal Sizes

Modular tile 500mm x 500mm

Frames (see p44-45)

Suits the INFR08 framing system



LIFETIME WARRANTY

INSTALLATION SERVICES AVAILABLE

NCC COMPLIANT

AS1428 COMPLIANT

 Suitable for medium to high traffic applications	 Easy to transport and install
 Easy to clean	 Modular system
 Good dirt removal and hiding ability	 Heel-proof design
 Suitable for wheelchairs and other wheeled traffic	 LRV (Light Reflectance Value) - Refer to page 55 for details
 Low profile tufted design	 P5 Slip resistance rating
 Releases trapped particles when vacuumed	 Fire test report available



Classic Integra Coir

Natural Coir Matting

- Natural coconut fibre matting
- Environmentally friendly
- Moisture absorbent
- Low traffic applications
- Interior use



Classic Integra Coir

Natural Coir Matting

Description

Classic Integra Coir is made of natural coconut fibres, spun mechanically to give the mat a uniform and regular pattern with little fibre loss. The fibres are held together with a latex vinyl backing. This environmentally friendly product is the perfect quick fix.

Application

Recess into mat wells, wall-to-wall in airlocks and lobbies.

Suitable for: Churches, schools, hotels, motels, factories etc.

Benefits

- Environmentally friendly, made from natural coconut fibres
- Reduces floor maintenance and cleaning costs
- Minimises costly slip-and-fall accidents
- Three thicknesses to suit varying recess depths

Specifications

Nominal Sizes

2000mm wide roll (including edging), custom cut to length

Available Thicknesses

17mm, 23mm, 30mm

Colours



Black
(Black only
available in 17mm)



Natural



Suitable for low traffic applications



Moisture absorbent



Minimises slip-and-fall accidents



Easy to transport and install

1YR
WARRANTY

INSTALLATION
SERVICES
AVAILABLE

Classic Integra Zoit

Dirt and Moisture Barrier Carpet Matting

- Carpet style matting
- Narrow, non-woven needlepunch carpet
- Ribbed design
- Resistant to fungal and bacterial growth
- High water absorption
- Low traffic applications
- Interior use



Classic Integra Zoit

Dirt and Moisture Barrier Carpet Matting

Description
Classic Integra Zoit is a barrier carpet matting, featuring hard wearing 100% polypropylene fibre and Intraback latex backing. Its unique construction means that it will not zipper, fuzz or pill. Zoit is also resistant to insects, mould and mildew as well as being non-allergenic.

Classic Integra Zoit is incorporated into the Classic Integra Vantt matting range allowing designer colour coordination and the cohesive flow of various matting zones.

Application
Can be recessed into mat wells, or wall-to-wall in lobbies and atriums.


Suitable for: Commercial office buildings, apartments, churches, schools, hotels, motels, factories, etc.

- Benefits**
- Enhances interior appearance and acoustics
 - Reduces floor maintenance and cleaning costs
 - Minimises costly slip-and-fall accidents

Specifications
Nominal Sizes
2000mm wide roll, custom cut to length.

Frames (see p44-45)
Suits the INFR08 framing system

Colours




	Suitable for low traffic applications		LRV (Light Reflectance Value) - Refer to page 55 for details
	Ribbed design		
	Moisture absorbent		
	Minimises slip-and-fall accidents		
	Bacterial and fungal resistant		
	Easy to transport and install		

Classic Integra Shield

Vinyl Scraper Matting

- Scraper entrance matting
- Durable and hard wearing
- Rolls up
- Resilient vinyl coiled construction, traps dirt
- UV resistant and withstands extreme temperatures
- High traffic applications
- Interior and exterior use, including snow and wet areas
- Wheelchair friendly



Classic Integra Shield 9100

Vinyl Scraper Matting

Description

Classic Integra Shield 9100 is an unbacked heavy duty 'Z-web' mat that is designed for recessed applications in demanding environments. The peaked edge of each web provides increased slip resistance and a very effective scraping action for dirt, grit and particle removal. Being unbacked means the trapped grit can easily pass through for easy clean up.

Also suitable for wet areas, such as snow regions removing compacted snow with ease. This matting will resist 'pack down' and has been lab tested for extremely high traffic levels - more than one million people per year.

Application

Recessed into a mat well for high traffic areas. Suitable for snow and wet areas.

Suitable for: Commercial office buildings, apartments, churches, schools, hotels, motels, factories, etc.

Benefits

- Thick and extremely durable
- Z-web construction allows dirt and moisture to easily pass through
- Able to withstand heavy traffic of up to 1 million footfalls per year
- Peaked edge provides a slip resistant surface
- Scrapes dirt and debris from shoes
- Able to withstand wheelchair and light wheel traffic


Specifications

Nominal Sizes


1200mm wide roll, custom cut to length

Frames (see p44-45)

Suits the INFR11 framing system



Colours



Ebony

**LIFETIME
WARRANTY**

**INSTALLATION
SERVICES
AVAILABLE**

**NCC
COMPLIANT**

**AS1428
COMPLIANT**



Suitable for high traffic applications



Suitable for snow/wet areas



Suitable for wheelchair and light wheel traffic



Withstands extreme temperatures



Easy to clean



UV resistant and won't fade



LRV (Light Reflectance Value) - Refer to page 55 for details




P5 Slip resistance rating



Fire test report available

Classic Integra Mat Frames

- Entrance mat framing systems to suit all Classic Integra products
- Enhances entrance appearance
- Reduces custom fabrication cost and lead times
- Available in full lengths or cut to size
- Easy to transport and install



Classic Integra INFR1180

Ramp Frame for Surface Mounted Matting

The Classic Integra ramp frame profile offers a solution for the surface mounting of an entrance mat or for providing a ramped transition to a small floor step.

Benefits

- Provides a perfect finished appearance
- Use profile to create a defined mat well
- Provide compliant and safe pedestrian floor surfaces



Fire Resistant



AS1428 NCC Compliant

Specifications

Length
5850mm

Height
11mm O/A

Width
80mm

Application


Ramp frame for 10-12mm matting

Aluminium Colours



Black

Natural



Classic Integra INFR08

Framing System - Zone, Zeal, Premier, Tough, Urban, Studio, Zoit

The Classic Integra frame is the perfect partner for our range of architectural entrance matting to create a defined mat well and enhance the entrance appearance. It is designed to be installation friendly.

Benefits

- Enhances entrance appearance
- Slimline profile for adhesive fix
- Available in full lengths or cut to size with mitred corners



Fire Resistant

Specifications

Length
3000mm

Recess
10mm minimum

Application

Suits 7-8mm matting

Aluminium Colours




Natural

Upon request



Black



Classic Integra INFR11

Framing System – Verse 12mm, Vantt, Shield

The Classic Integra frame is the perfect partner for our range of architectural entrance matting to create a defined mat well and enhance the entrance appearance. It is designed to be installation friendly and comes as a modular system complete with corner clips.

Benefits

- Design eliminates the need for screeding
- Reduces costly custom fabrication cost and lead times
- Available in full lengths or cut to size with mitred corners



Fire Resistant

Specifications

Length
5850mm

Recess
14mm minimum

Application

Suits 10-12mm matting

Aluminium Colours



Natural

Black

Upon request




Bronze



Saffron



Gold



Classic Integra INFR17

Framing System – Verse 17mm, Link, Coir 17mm

The Classic Integra frame is the perfect partner for our range of architectural entrance matting to create a defined mat well and enhance the entrance appearance. It is designed to be installation friendly and comes as a modular system complete with corner clips.

Benefits

- Design eliminates the need for screeding
- Enhances entrance appearance
- Reduces costly custom fabrication cost and lead times
- Available in full lengths or cut to size with mitred corners



Fire Resistant

Specifications

Length
5850mm

Recess
20mm minimum

Application


Suits 16-17mm matting

Aluminium Colours



Natural


Black





Colour Guide

Classic Integra Entrance Matting comes in a wide range of colour options, catering to many styles, design aesthetics and project needs. Please note that these swatches are a guide only and actual colours may vary.




Integra Verse




Integra Vantt




Integra Vantt



Integra Link



Integra Zone



Colour Guide



Integra Zeal



Integra Premier



Integra Tough




Integra Matting Tiles




Integra Coir



Integra Zoit



Integra Shield



Shield

Ebony

Entrance Matting
LRV Guide

What is luminance contrast testing?

Luminance contrast is a measure that compares the luminance reflectance of two different surfaces. Reports are produced from information collected on site, to document the compliance/non-compliance to building standards.

Luminescent Test Results

All values shown were measured in accordance with the requirements of AS/NZS 1428.4.1:2009 & AS1428.1-2009 using a Konica Minolta Chroma meter CR-400/410 with a diffuse illumination/normal viewing (d/o) geometry and CIE D65 illuminant. The products were tested in multiple locations, and results have been averaged out, and rounded up to the nearest whole decimal. This data should be used as a guide only.

Need luminance contrast testing on your project?
Contact Classic now for advice.

CLASSIC INTEGRA ZONE MATTING

Colour	Dry
Midnight	1.9
Storm	1.5
Clay	2.1
Shale	3.0
Slate	1.4
Cobalt	1.6
Sulphur	2.9
Lava	2.1
Haze	9.5
Coco	12.1

CLASSIC INTEGRA ZEAL 8850

Colour	Dry
Ebony	2.4

CLASSIC INTEGRA PREMIER MATTING

Colour	Dry
Carbon	2.5

CLASSIC INTEGRA TOUGH MATTING

Colour	Dry
Charcoal	2.1

CLASSIC INTEGRA URBAN MATTING TILES

Colour	Dry
Clay	2.1
Shale	3.1
Lava	2.1
Slate	2.2

CLASSIC INTEGRA STUDIO MATTING TILES

Colour	Dry
Carbon	3.1

CLASSIC INTEGRA ZOIT MATTING

Colour	Dry
Onyx	1.6
Charcoal	3.6

CLASSIC INTEGRA SHIELD 9100

Colour	Dry
Ebony	1.8



1300 244 377

info@classic-arch.com

www.classic-arch.com

Melbourne • Sydney • Brisbane
Adelaide • Perth • Auckland

